





HZY-K






产品宗旨：技术领先，质量可靠，轻便易用
服务宗旨：快速响应，达到满意，超过期望

MCE

LCQ ~ jn · B +| ý ú*6 ~ B +| @ ~ j

- 1.
- 2.



1

-59.9 -399.9

-399.9

≤ 150 3

150 5

0.1

0.5%

(PT100)

2

10—40

85%

AC220V ±15%

50%


3

4

440X280X290(mm)

5

14kg



1

2

AC220V

3

6-



6-

225

027-83267669

“	”	6-2
“	”	6-3
“	”	6-4




6-2

“	”	“	”	6-1			
“	▲	”	“	▼	”	“	”



6-3

“	”	“	”	“	”	6-1
“	”	“	”	“	”	




6-4

“ 1 ” “ 2 ” “ 3 ”

“ ▲ ” “ ▼ ”

“ ▲ ” “ ▼ ”

6-5



6-5

“ ▲ ” “ ▼ ”

“ ”

“ ”

6-4

“ ” “ ”

“ ▲ ”

“ ”

“ ▼ ”

“ ”

200


10

190

“ ”

1

6-6



6-6

1

“ ”

225

027-83267669

www.whhezi.com

whhezi@163.com

2

1 “ ”

2 “ ▲ ” “ ”

3 “ ▼ ” “ ”

1

2

3

2

EdA

4

5

1000

80-100

1

2

3

$\int \leq$

”

